

(ii) determining which of the frames in the frame dependency are in the decoded frame cache;

(iii) decoding any frame in the frame dependency that is not in the decoded frame cache and placing it in the decoded frame cache; and

(iv) using at least one of the decoded frames in the frame dependency to decode the particular frame to create a decoded version of the particular frame.

2. The method of claim 1, wherein the request to playback a particular frame is part of a request to perform frame-by-frame backward playback and part (b) is performed for successively earlier frames with respect to the particular frame as part of the frame-by-frame backward playback.

3. The method of claim 1, wherein part (i) is performed whether or not it is determined that a decoded version of a particular frame is in the decoded frame cache without part (iv) being performed.

4. The method of claim 1, wherein the particular frame may be an I, P, or B frame of MPEG compressed video.

5. The method of claim 1, wherein the frame dependency is an immediate frame dependency.

6. The method of claim 5, wherein the at least some of the decoded frames referred to in part (a) (iv) are those frames in the immediate dependency.

7. The method of claim 5, wherein part (b) includes recursion where frames in the immediate frame dependency of the frame of interest are not in the decoded frame cache.

8. The method of claim 1, wherein part (b) includes a loop with a terminating condition that all frames on which the particular frame is dependent have been decoded.

9. The method of claim 1, wherein decoded frames are replaced in the decoded frame cache according to a least recently used policy.

10. The method of claim 1, wherein an index is used to represent each frame in the frame dependency.

11. The method of claim 1, wherein the frame dependency is determined through a look-up table.

12. The method of claim 11, wherein the frame dependency is determined through successive uses of a look-up table.

13. The method of claim 1, wherein the decoded frame cache includes a data structure.

14. The method of claim 1, wherein the decoded frame cache includes a section of main memory.

15. An article comprising:
a computer readable medium having instructions thereon which when executed cause a computer to:
(a) detect a request to playback a particular frame; and
(b) determine whether a decoded version of the particular frame is in a decoded frame cache, and if it is not and if the particular frame has a frame dependency:
(i) determine a frame dependency for the particular frame;
(ii) determine which of the frames in the frame dependency are in the decoded frame cache;

(iii) decode any frame in the frame dependency that is not in the decoded frame cache and place it in the decoded frame cache; and

(iv) use at least and of the decoded frames in the frame dependency to decode the particular frame to create a decoded version of the particular frame.

16. The article of claim 15, wherein the request to playback a particular frame is part of a request to perform frame-by-frame backward playback and part (b) is performed for successively earlier frames with respect to the particular frame as part of the frame-by-frame backward playback.

17. The article of claim 15, wherein part (i) is performed whether or not it is determined that a decoded version of a particular frame is in the decoded frame cache without part (iv) being performed.

18. The article of claim 15, wherein the frame dependency is an immediate frame dependency.

19. The article of claim 18, wherein the at least some of the decoded frames referred to in part (a) (iv) are those frames in the immediate dependency.

20. The article of claim 18, wherein part (b) includes recursion where frames in the immediate frame dependency of the frame of interest are not in the decoded frame cache.

21. The article of claim 15, wherein part (b) includes a loop with a terminating condition that all frames on which the particular frame is dependent have been decoded.

22. The article of claim 15, wherein decoded frames are replaced in the decoded frame cache according to a least recently used policy.

23. The article of claim 15, wherein an index is used to represent each frame in the frame dependency.

24. The article of claim 15, wherein the frame dependency is determined through a look-up table.

25. The article of claim 24, wherein the frame dependency is determined through successive uses of a look-up table.

26. A computer system including:
a processor and video processing circuitry;
a display; and
memory including instructions which when executed cause the processor and video processing circuitry to:

- (a) detect a request to playback a particular frame; and
- (b) determine whether a decoded version of the particular frame is in a decoded frame cache, and if it is not and if the particular frame has a frame dependency:
 - (i) determine a frame dependency for the particular frame;
 - (ii) determine which of the frames in the frame dependency are in the decoded frame cache;
 - (iii) decode any frame in the frame dependency that is not in the decoded frame cache and place it in the decoded frame cache; and
 - (iv) use at least one of the decoded frames in the frame dependency to decode the particular frame to create a decoded version of the particular frame.
- (c) provide the decoded version of the particular frame for displaying on the display.

306D17 27. (New) A method for randomly accessing a first frame of a video stream, comprising:
determining a decoding of the first frame is not in a decoded frame cache;

determining a first frame dependency for the first frame comprising frames required to decode the first frame;

decoding at least one of the frames of the frame dependency not present in the decoded frame cache, and placing it in the decoded frame cache; and

decoding the first frame using at least one of the decoded frames in the decoded frame cache.

28. (New) The method of claim 27, further comprising:
decoding each frame of the frame dependency not present in the decoded frame cache, and placing them in the decoded frame cache.

29. (New) The method of claim 27, further comprising:
recursively decoding the second frame of the frame dependency.

30. (New) A method according to claim 27 for reverse playback of frames of the video stream, comprising:

determining a second frame is not in the decoded frame cache, the second frame following the first frame in the video stream;

determining a second frame dependency for the second frame comprising frames required to decode the second frame;

decoding at least one of the frames of the frame dependency not present in the decoded frame cache, and placing it in the decoded frame cache; and

decoding the second frame using at least one of the decoded frames in the decoded frame cache.

31. (New) The method of claim 30, further comprising:
playing the second frame and then the first frame.

32. (New) The method of claim 30, wherein the second frame is an immediately following frame of the first frame.

33. (New) An article comprising a machine-accessible media having associated data for randomly accessing a first frame of a video stream, wherein the data, when accessed, results in a machine performing:

determining a decoding of the first frame is not in a decoded frame cache;

determining a first frame dependency for the first frame comprising frames required to decode the first frame;

decoding at least one of the frames of the frame dependency not present in the decoded frame cache, and placing it in the decoded frame cache; and

decoding the first frame using at least one of the decoded frames in the decoded frame cache.

subcl 34. (New) The article of claim 27 wherein the machine-accessible media further includes data, when accessed, results in the machine performing:

decoding each frame of the frame dependency not present in the decoded frame cache, and placing them in the decoded frame cache.

35. (New) The article of claim 27 wherein the machine-accessible media further includes data, when accessed, results in the machine performing:

recursively decoding the second frame of the frame dependency.

36. (New) The article of claim 27 wherein the machine-accessible media further includes data for reverse playback of frames of the video stream, when accessed, results in the machine performing:

determining a second frame is not in the decoded frame cache, the second frame following the first frame in the video stream;

determining a second frame dependency for the second frame comprising frames required to decode the second frame;

decoding at least one of the frames of the frame dependency not present in the decoded frame cache, and placing it in the decoded frame cache; and

decoding the second frame using at least one of the decoded frames in the decoded frame cache.